



Standard configuration L / R




* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).



ERGOPOWER R. + REAR CALIPER 140 mm
EP18-HPDRR4EPS



ROTOR 140 mm
DB-140



ERGOPOWER R. + REAR CALIPER 160 mm
EP18-HPDRR6EPS




ROTOR 160 mm
DB-160


UK configuration R / L



* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).




ERGOPOWER L. + REAR CALIPER 140 mm
EP18-HPDLR4EPS



ROTOR 140 mm
DB-140



ERGOPOWER L. + REAR CALIPER 160 mm
EP18-HPDLR6EPS



ROTOR 160 mm
DB-160

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)	frame 10-14 mm
AC18-DBSC24 (24 mm)	frame 15-19 mm
AC18-DBSC29 (29 mm)	frame 20-24 mm
AC18-DBSC34 (34 mm)	frame 25-29 mm
AC18-DBSC39 (39 mm)	frame 30-34 mm
AC18-DBSC44 (44 mm)	frame 35-39 mm

*for each rear caliper order one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml are needed

DC12-RE2B - CLAMP FOR Ø 32 mm
DC12-RE5B - CLAMP FOR Ø 35 mm
FD-SR001EPS - STIFFNESS INCREASER
FD-SR003 - CHAIN GUARD (Brazed on or Clamp)
FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)



**FRONT DERAILLEUR
FD15-SR2BEPS**

SOLUTION 1 AC16-HOBCEPS	
SOLUTION 2 AC16-HOSP27 or AC16-HOSP32	



**V3 POWER UNIT
PU16-EPS***



**V3 INTERFACE UNIT
IF16-EPS**



**ULTRA-TORQUE CUPS
OC12-... / IC15-...**



**H11 ULTRA-TORQUE CRANKSET
FC18-HP...**



**EPS REAR DERAILLEUR
RD12-SR1EPS**



**11s SUPER RECORD SPROCKETS
CS...**



**RECORD 11s CHAIN
CN11-RE1**

**V2/V3 BATTERY CHARGER
AC14-BCEPS**

**CABLE BATTERY CHARGER
AC12...**

TOOLS



**OIL LEVEL TOOL
UT-DB010**








**BLEEDING KIT
DB-100**

ACCESSORIES
AC18-DBADR6
Adapter kit 140 to 160mm for rear caliper+2 fixing screws






LEGENDA
— Compulsory
- - - Optional

Standard configuration L / R

 ERGOPOWER L. + FRONT CALIPER*
EP18-HPDLF6EPS

 ROTOR 160 mm
DB-160

 ERGOPOWER R. + REAR CALIPER 140 mm
EP18-HPDRR4EPS

 ROTOR 140 mm
DB-140

 ERGOPOWER R. + REAR CALIPER 160 mm
EP18-HPDRR6EPS

 ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).

UK configuration R / L

 ERGOPOWER R. + FRONT CALIPER*
EP18-HPDRF6EPS

 ROTOR 160 mm
DB-160

 ERGOPOWER L. + REAR CALIPER 140 mm
EP18-HPDLR4EPS

 ROTOR 140 mm
DB-140

 ERGOPOWER L. + REAR CALIPER 160 mm
EP18-HPDLR6EPS

 ROTOR 160 mm
DB-160

* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)	frame 10-14 mm
AC18-DBSC24 (24 mm)	frame 15-19 mm
AC18-DBSC29 (29 mm)	frame 20-24 mm
AC18-DBSC34 (34 mm)	frame 25-29 mm
AC18-DBSC39 (39 mm)	frame 30-34 mm
AC18-DBSC44 (44 mm)	frame 35-39 mm

*for each rear caliper order one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml are needed

DC12-RE2B - CLAMP FOR Ø 32 mm
DC12-RE5B - CLAMP FOR Ø 35 mm
FD-SR001EPS - STIFFNESS INCREASER
FD-SR003 - CHAIN GUARD (Brazed on or Clamp)
FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)


**FRONT DERAILLEUR
FD15-RE2BEPS**

SOLUTION 1 AC16-HOBCEPS	
SOLUTION 2 AC16-HOSP27 or AC16-HOSP32	


**V3 POWER UNIT
PU16-EPS***

**V3 INTERFACE UNIT
IF16-EPS**

**ULTRA-TORQUE CUPS
OC12-... / IC15-...**

**H11 ULTRA-TORQUE CRANKSET
FC18-HP...**

**EPS REAR DERAILLEUR
RD12-RE1EPS**

**11s SUPER RECORD SPROCKETS
CS...**

**RECORD 11s CHAIN
CN11-RE1**
**V2/V3 BATTERY CHARGER
AC14-BCEPS**
**CABLE BATTERY CHARGER
AC12...**
TOOLS

**OIL LEVEL TOOL
UT-DB010**

**BLEEDING KIT
DB-100**




ACCESSORIES
AC18-DBADR6
Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA
— Compulsory
- - - Optional

Standard configuration L / R







* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).



UK configuration R / L



* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).



COUPLE OF REAR SCREWS*

- AC18-DBSC19** (19 mm) frame 10-14 mm
- AC18-DBSC24** (24 mm) frame 15-19 mm
- AC18-DBSC29** (29 mm) frame 20-24 mm
- AC18-DBSC34** (34 mm) frame 25-29 mm
- AC18-DBSC39** (39 mm) frame 30-34 mm
- AC18-DBSC44** (44 mm) frame 35-39 mm

*for each rear caliper order one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml are needed

DC12-RE2B - CLAMP FOR Ø 32 mm

DC12-RE5B - CLAMP FOR Ø 35 mm

FD-SR003 - CHAIN GUARD
(Brazed on or Clamp)

FD-SR203 - CHAIN SECURE DEVICE
(Brazed on ONLY)



FRONT DERAILLEUR
FD15-SR2B
FD15-SR2BS2 *
*with S2 System



TOOLS



ACCESSORIES

AC18-DBADR6




Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA





— Compulsory
- - - Optional

Standard configuration L / R


* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).


UK configuration R / L


* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).


COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm) frame 10-14 mm
AC18-DBSC24 (24 mm) frame 15-19 mm
AC18-DBSC29 (29 mm) frame 20-24 mm
AC18-DBSC34 (34 mm) frame 25-29 mm
AC18-DBSC39 (39 mm) frame 30-34 mm
AC18-DBSC44 (44 mm) frame 35-39 mm

*for each rear caliper order one code of screws

CAMPAGNOLO OIL*


LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml are needed

DC12-RE2B - CLAMP FOR Ø 32 mm
DC12-RE5B - CLAMP FOR Ø 35 mm
FD-SR003 - CHAIN GUARD (Brazed on or Clamp)
FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)



FRONT DERAILLEUR
FD15-RE2B
FD15-RE2BS2*
*with S2 System


TOOLS

ACCESSORIES

AC18-DBADR6




Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA





— Compulsory
- - - Optional

Standard configuration L / R


* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).


UK configuration R / L


* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).


COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm) frame 10-14 mm
AC18-DBSC24 (24 mm) frame 15-19 mm
AC18-DBSC29 (29 mm) frame 20-24 mm
AC18-DBSC34 (34 mm) frame 25-29 mm
AC18-DBSC39 (39 mm) frame 30-34 mm
AC18-DBSC44 (44 mm) frame 35-39 mm

*for each rear caliper order one code of screws

CAMPAGNOLO OIL*


LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml are needed

DC12-RE2B - CLAMP FOR Ø 32 mm
DC12-RE5B - CLAMP FOR Ø 35 mm
FD-SR003 - CHAIN GUARD (Brazed on or Clamp)
FD-SR203 - CHAIN SECURE DEVICE (Brazed on ONLY)



FRONT DERAILLEUR
FD15-CH2B
FD15-CH2BS2 *
*with S2 System


TOOLS

ACCESSORIES




AC18-DBADR6
Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA

—	Compulsory
- - -	Optional

Standard configuration L / R


* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower L. + rear caliper (140 mm).







ERGOPOWER R. + REAR CALIPER 160 mm
EP18-PODRR6

ROTOR 160 mm
DB-160

UK configuration R / L


* Only in case of "Direct frontal Flat Mount" or integrated adapter of the frame, use Ergopower R. + rear caliper (140 mm).



ERGOPOWER L. + REAR CALIPER 160 mm
EP18-PODLR6

ROTOR 160 mm
DB-160

COUPLE OF REAR SCREWS*

AC18-DBSC19 (19 mm)	frame 10-14 mm
AC18-DBSC24 (24 mm)	frame 15-19 mm
AC18-DBSC29 (29 mm)	frame 20-24 mm
AC18-DBSC34 (34 mm)	frame 25-29 mm
AC18-DBSC39 (39 mm)	frame 30-34 mm
AC18-DBSC44 (44 mm)	frame 35-39 mm

*for each rear caliper order one code of screws

CAMPAGNOLO OIL*

LB-200	OIL 250 ml
LB-200S	OIL 100 ml
LB-200B	OIL 1000 ml

*for one bike approx 30 ml are needed

DC12-RE2B - CLAMP FOR Ø 32 mm


DC12-RE5B - CLAMP FOR Ø 35 mm

FD-SR003 - CHAIN GUARD
(Brazed on or Clamp)

FD-SR203 - CHAIN SECURE DEVICE
(Brazed on ONLY)



FRONT DERAILLEUR
FD17-POB2B


TOOLS

ACCESSORIES

AC18-DBADR6

Adapter kit 140 to 160mm for rear caliper+2 fixing screws

LEGENDA

— Compulsory

- - - Optional